

20
—
20



LOUM[®]

2020

Find your
style.



Follow your
instinct.

Pendants



Arkade

16-19



Pille

20-21




Fiori

22



Canna

23



Bass


24



Iris

25

Ceiling mounted luminaires



Lloyd

54-55



Decafelt

56-57



Cut up

58




Liro

59



Camea

60



Atus

61

Table luminaires




Pille

80-81



Yajo

82-83



Tycho

84-85




Gone

86



Meyjo


87



Scave

88

Recessed luminaires




Rowo

104




Sator

105



Liro

106



Kalio

107



Glow

26-27



Tycho

28-29




Yajo

30-31



Diovis

32-33




Decafelt

34-35



Leo

36-37



Yura

62



Turn 4

63



Teo

89



Pokula

90




Potta

91




Glow

92-93



Peya

38



Leon

39




Lora

40-41



Perfora

42-43



Uto


44-45



Cut up


46-47

Wall mounted luminaires




Lloyd

66-67




Foro

68-69




Cut up

70-71




Waamp

72



Nowenda

73



Anio


74

Floor lamps



Pille

96-97



Decafelt

98-99



Meyjo


100-101

Outdoor lighting




Pegato

110-111



Eyo

112



Booper W

113



Boho

114-115



Aliar

116




Booper F

117




Arok

75



Iwo

76-77




Hoot

118-119



Chopa

120



Mash

121



About us

Our instinct for space and light combined with years of experience is our source of inspiration for new product ideas.



Gone T / p. 86

Desire for something new.

Our focus on the trends in a constantly and rapidly changing living area is our basis for exciting light ideas for homes and properties. This is how we take courageous steps to capture the spirit of modern times. Our luminaires, however, are never just based on trends, but rather the result of our passion for good light, functional design and high-quality products.


We are never satisfied with the first solution. Everyday our hearts beat for new ideas for the play of light and shadow.



Shining lights.

We develop and produce our collection of luminaires with love for detail and the courage to explore new paths.

Our products join excellent design and high-quality materials – and just look damn good.



For design lovers and trendsetters.



In times of permanent change, there is one constant which allows us to breath and let go: our cosy home, a hotel room which makes us feel embraced or a restaurant which offers pleasant moments.

We give these rooms atmosphere, as our name shows: LOUM® stands for lumen and room. We provide a shining light to experience space in a new way. We burn for the daily reinvention of light. For trend setters,

individualists, open-minded and curious people – just follow your instinct.

We have an in-house design team and cooperate as well with well-known designers. This is how we keep an eye on the latest trends and styles, sometimes simple and classic, sometimes emotional and crazy, but always attempting to create an intense sense of space. We believe, however, that progress is also based on innovative materials, fascinating look and feel as well as technologies with a promising future.



Fiume PD / p. 49



Usually at eye level and in focus, pendants ensure pleasant light and are decorative.

Pendants

They are freedom loving. With a floating appearance they hang from the ceiling at variable heights and give rooms that certain something.


- 16 **Arkade**
- 20 **Pille**
- 22 **Fiori**
- 23 **Canna**
- 24 **Bass**
- 25 **Iris**
- 27 **Glow**
- 28 **Tycho**
- 31 **Yajo**
- 32 **Diovis**
- 34 **Decafelt**
- 37 **Leo**
- 38 **Peya**
- 39 **Leon**
- 40 **Lora**
- 42 **Perfora**
- 45 **Uto**
- 46 **Cut up**
- 49 **Fiume**
- 50 **Yira**
- 51 **Divo**



Yajo 1, 2, 3 PD / p. 31

Arkade

Arkade will bow before no one. The balanced proportions harmoniously emphasize the clear design.



Arkade Single PD

LED · 220-240V AC · 9W · 3000K · CRI>90 · 820lm
beam angle 38° · incl. control unit · DALI dimmable


709-1001960d B



Arkade


Capable of transforming. Smart combinations offer diverse designs.

CE IP 20




Arkade System PD

beam angle 38° · Connection made by means of an O-ring
order canopy separately
LED · 220-240V AC · 9W · 3000K · CRI>90 · 820lm
709-1002960d B



Arkade canopy

up to four luminaires
order body separately
220-240V AC
incl. control unit · DALI dimmable
709-0001960d B



Arkade cable holder


305-0001 B

Other applications



Pille

Real craftsmanship creates atmosphere. The impressive pendant made of mouth-blown glass is a real eye catcher.



Pille PD

mouth blown glass

LED · 220-240V AC · 15W · 3000K · CRI>90 · 1000lm
incl. control unit · DALI dimmable

	A	B
737-10009ghd	G	CH
737-10009phd	P	CH
737-100097hd	CH	CH
737-10009ggd	G	G
737-10009pgd	P	G
737-100097gd	CH	G

CE IP 20

Table luminaire

→ p. 81



Floor lamp

→ p. 97




Fiori

Truly unique in organic retro style made of mouth-blown glass.

The decent to strong colours of the playful luminaire speak for themselves.

Canna




Fiori PD

mouth-blown glass
Light color adjustable

LED · 220-240V AC · 14W · 2700K / 3000K
CRI>90 · 930lm / 1010lm · incl. control unit

- 735-1000s6h0 CH
- 735-1000s6g0 SG
- 735-1000s6p0 P




Canna S PD

mouth-blown glass
Light color adjustable

LED · 220-240V AC · 14W · 2700K / 3000K
CRI>90 · 930lm / 1010lm · incl. control unit

- 736-1000s6h0 CH
- 736-1000s6a0 C
- 736-1000s6p0 P



Canna L PD

mouth-blown glass
Light color adjustable


LED · 220-240V AC · 14W · 2700K / 3000K
CRI>90 · 930lm / 1010lm · incl. control unit

- 736-1001s6h0 CH
- 736-1001s6a0 C
- 736-1001s6p0 P

CE IP 20

CE IP 20

Bass




GU10 Socket PD

order glass separately

1 x GU10 - 220-240V AC · max. 9W LED Retrofit
for Bass light glass and Iris S, L light glass

257-00008000 **B**



Bass light glass

mouth-blown decor glass
order Pendant separately


732-000000h0 **CH**
732-000000a0 **C**
732-000000g0 **SG**

Design_Rainer Mutsch

The chameleon.
Various colours
and types of shades
allow for a variety
in room design.

Design_Rainer Mutsch

Retro style in
handmade quality.
A luminaire to fall
in love with.



Iris S light glass

mouth-blown decor glass
order Pendant separately

733-000100h0 **CH**
733-000100a0 **C**
733-000100p0 **P**



Iris L light glass

mouth-blown decor glass
order Pendant separately

733-000200h0 **CH**
733-000200a0 **C**
733-000200p0 **P**



Iris


Glow

Charming structures. Brightly illuminated, the different shapes of the glass shades attract attention.

CE IP 20


Table luminaire

→ p. 92




Glow 1 PD

1 x E27 · 220-240V AC · max. 9W · LED Retrofit
381-10008o00 B



Glow 2 PD

1 x E27 · 220-240V AC · max. 9W · LED Retrofit
381-10018o00 B




Glow 3 PD

1 x E27 · 220-240V AC · max. 9W · LED Retrofit
381-10028o00 B

Tycho

The mouth-blown opal glass enclosed by a ring reminds remotely of an acrobatic performance by talented air artists.



Tycho PD

mouth-blown opal glass
Material: brushed brass

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

318-10008md0 

  IP 20

**Table
luminaire**

→ p. 85




Yajo

Frosted opal glass with lamellas inspired by nature and a chic combination of black and white creates a sense of pure elegance.

CE IP 20

Table luminaire

→ p. 82




Yajo 1 PD

mouth-blown glass

LED · 220-240V AC · 18W · 3000K · CRI>80 · 1100lm
incl. control unit

729-10009600 B




Yajo 2 PD

mouth-blown glass

LED · 220-240V AC · 24W · 3000K · CRI>80 · 1100lm
incl. control unit

729-10019600 B



Yajo 3 PD


mouth-blown glass

LED · 220-240V AC · 24W · 3000K · CRI>80 · 1100lm
incl. control unit

729-10029600 B

Diovis

Whether small,
medium or large
– wow effect
guaranteed!




Diovis S PD

Material: polycarbonate structure

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

381-10038m00 [SW]




Diovis M PD

Material: polycarbonate structure

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

381-10048m00 [SW]



Diovis L PD

Material: polycarbonate structure

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

381-10058m00 [SW]




Diovis XL PD

Material: polycarbonate structure


1 x E27 · 220-240V AC · max. 9W · LED Retrofit

381-10068m00 [SW]



Decafelt

The shield of acoustic elements creates a living space full of atmosphere and comfort to lean back and enjoy.




Decafelt M PD

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2010lm
incl. control unit · DALI dimmable

- 730-100195cd LG
- 730-1001959d AG
- 730-100195bd BL

CE IP 20




Decafelt L PD

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2200lm
incl. control unit · DALI dimmable

- 730-100295cd LG
- 730-1002959d AG
- 730-100295bd BL

Ceiling mounted luminaire

→ p.56



Floor lamp


→ p.98



Leo


What has been the name of emperors and kings, is today a pendant in different sizes which refines every surrounding.

CE IP 20




Leo 1 PD

1 x GU10 · 220-240V AC · max. 9W · LED Retrofit
738-10018600 B



Leo 2 PD

Frosted smoked glass
 1 x GU10 · 220-240V AC · max. 9W · LED Retrofit
738-10028600 B



Leo 3 PD

Frosted smoked glass
 LED · 220-240V AC · 18W · 3000K · CRI>90 · 1200lm
 incl. control unit
738-10039660 B


Peya

Peya PD

Material: Aluminium

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

- 727-10008600 **BM**
- 727-10008500 **WM**
- 727-10008700 **CB**



Less is more.
The minimalist design in three colours attracts attention.


Leon

Leon PD

LGP Material
Lights up by itself · Lamp is non-exchangeable.


LED · 220-240V AC · 24W · 3000K · CRI>90 · 1800lm
incl. control unit · DALI dimmable

101-1000960d **B**



Like an illusion.
Leon impresses with its special refraction of light at the shield.


CE IP 20



CE IP 20

Lora

Wonderfully versatile.
With a basic luminaire
and various shades,
it is the perfect mix.




Lora Base PD

Pendant
order shade separately

LED · 220-240V AC · 10W · 3000K · CRI>90 · 600lm
incl. control unit

341-00009500 **WM**
341-00009600 **BM**


CE IP 20



Lora Shade 1

order Base separately


341-00013550 **WM**
341-00013660 **BM**



Lora Shade 2

order Base separately


341-00023550 **WM**
341-00023660 **BM**



Lora Shade 3

order Base separately


341-00033550 **WM**
341-00033660 **BM**



Lora Shade 4

order Base separately

341-00043550 **WM**
341-00043660 **BM**



Lora Shade 5

order Base separately


341-00053550 **WM**
341-00053660 **BM**



Perfora

Futuristic while at the same time noble. With its timeless, minimal appearance, the pendant performs in any kind of surrounding.

CE IP 20




Perfora M PD

directly shining

LED · 220-240V AC · 33W · 3000K · CRI>90 · 1400lm
incl. control unit

472-10019200 **T**
472-10019500 **WM**
472-10019600 **BM**



Perfora L PD

directly shining

LED · 220-240V AC · 54W · 3000K · CRI>90 · 2300lm
incl. control unit

472-10029200 **T**
472-10029500 **WM**
472-10029600 **BM**



Uto


Individualism requires real edges. Just like Uto which, hanging from the ceiling, perfectly emphasizes its character.

CE IP 20

Uto PD


LED · 220-240V AC · 30W · 3000K · CRI>90 · 2000lm
incl. control unit

472-10009200 **T**
472-10009500 **MM**
472-10009600 **BM**






Cut up

The prism design with distinctive cut and round corners is what characterises the entire product family.



Cut up PD

LED · 220-240V AC · 9W · 3000K · CRI>90 · 410lm
incl. control unit

- 738-10009220 
- 738-10009550 
- 738-10009660 

CE  IP 20


Ceiling mounted luminaire

→ p. 58




Wall mounted luminaire

→ p. 71



Fiume

With its organic and flowing design, the luminaire made of plaster creates a highly interesting play of light and shadow.




Fiume PD

LED · 220-240V AC · 6W · 3000K · CRI>90 · 450lm
incl. control unit

738-10059600 BM
738-10059500 WM

CE  IP 20

Yira




Yira PD

LED · 220-240V AC · 6W · 3000K · CRI>90 · 380lm
incl. control unit

- 738-10049200
- 738-10049500
- 738-10049600

With its minimal and lean design, Yira sheds its light funnel-shaped.

The modern cylindrical shape adds every interior that special touch.



Divo


Divo Short PD

LED · 220-240V AC · 10W · 2700K · CRI>90 · 820lm
incl. control unit

- 305-10003500
- 305-10003r00
- 305-10003600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 820lm
incl. control unit

- 305-10009500
- 305-10009r00
- 305-10009600




Divo Long PD

LED · 220-240V AC · 10W · 2700K · CRI>90 · 820lm
incl. control unit

- 305-10013500
- 305-10013r00
- 305-10013600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 820lm
incl. control unit

- 305-10019500
- 305-10019r00
- 305-10019600



Ceiling mounted luminaires



- 55 Lloyd
- 56 Decafelt
- 58 Cut up
- 59 Liro
- 60 Camea
- 61 Atus
- 62 Yura
- 63 Turn 4

These lights join forces to illuminate rooms evenly.

Lloyd Rectangular SDI / p. 55



They come in different colours, shapes and functions to create the desired atmosphere and guarantee good light.

Lloyd

Inspired by Frank Lloyd Wright's understanding of architecture, this edged design has all it takes to become the classic luminaire of tomorrow.

CE IP 20

Wall mounted luminaire

→ p. 67





Lloyd Rectangular SDI

Material: Aluminium powder-coated
for direct - indirect beam

LED · 220-240V AC · 33W · 2700K · CRI>90 · 2100lm
incl. control unit

702-20013260 





Lloyd Square SDI

Material: Aluminium powder-coated
for direct - indirect beam

LED · 220-240V AC · 33W · 2700K · CRI>90 · 2100lm
incl. control unit

702-20003260 



Decafelt

Two in one sweep.
Its integrated acoustic
elements make
Decafelt even more
than just a stylish
luminaire.

CE IP 20


Pendant

→ p. 34



Floor lamp


→ p. 98



Decafelt M SD

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2010lm
incl. control unit · DALI dimmable


730-200195cd LG
730-2001959d AG
730-200195bd BL



Decafelt L SD

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2200lm
incl. control unit · DALI dimmable

730-200295cd LG
730-2002959d AG
730-200295bd BL




Cut up

Smart shape,
cool look,
perfect light
atmosphere.

The die is cast.
There is no way
around Liro.


Liro



Cut up SD

LED · 220-240V AC · 9W · 3000K · CRI>90 · 410lm
incl. control unit

- 738-20009220 **T**
- 738-20009550 **WM**
- 738-20009660 **BM**



Liro SD

LED · 220-240V AC · 9W · 2700K · CRI>90 · 620lm
beam angle 15° · incl. control unit

- 472-20073660 **BM**
- 472-20073560 **WM B**

LED · 220-240V AC · 9W · 2700K · CRI>90 · 620lm
beam angle 34° · incl. control unit

- 472-20083660 **BM**
- 472-20083560 **WM B**

LED · 220-240V AC · 9W · 3000K · CRI>90 · 620lm
beam angle 15° · incl. control unit

- 472-20079660 **SM**
- 472-20079560 **WM S**

LED · 220-240V AC · 9W · 3000K · CRI>90 · 620lm
beam angle 34° · incl. control unit


- 472-20089660 **BM**
- 472-20089560 **WM B**

CE IP 20

CE IP 20


Pendant

→ p. 46



Wall mounted luminaire

→ p. 71



Recessed luminaire

→ p. 106




Camea

Whether round or edged, Camea lights up every room in a charming way.

Geometrical forms with balanced proportions for a harmonious room.


Atus



Camea Square SD

LED · 220-240V AC · 4W · 3000K · CRI>90 · 220lm
incl. control unit


- 472-20039200 **T**
- 472-20039500 **WM**
- 472-20039600 **BM**



Atus Single Square SD

LED · 220-240V AC · 5W · 3000K · CRI>90 · 440lm
tilting 20° · incl. control unit


- 472-20019260 **T**
- 472-20019560 **WM**
- 472-20019660 **BM**



Camea Round SD

LED · 220-240V AC · 4W · 3000K · CRI>90 · 220lm
incl. control unit

- 472-20049200 **T**
- 472-20049500 **WM**
- 472-20049600 **BM**




Atus Double Square SD

LED · 220-240V AC · 10W · 3000K · CRI>90 · 880lm
tilting 20° · incl. control unit

- 472-20009260 **T**
- 472-20009560 **WM**
- 472-20009660 **BM**

CE IP 20

CE IP 20



Atus Round SD

LED · 220-240V AC · 5W · 3000K · CRI>90 · 440lm
tilting 20° · incl. control unit

- 472-20029260 **T**
- 472-20029560 **WM**
- 472-20029660 **BM**




Yura

Like the sun in the sky, Yura lights up rooms.




Presented in the proper light. The right joint for ideal illumination.

Turn 4




Yura SD

LED · 220-240V AC · 20W · 3000K · CRI>90 · 990lm
incl. control unit

- 472-20069200 
- 472-20069500 
- 472-20069600 






  IP 20



Turn 4 SD

LED · 220-240V AC · 4W · 3000K · CRI>90 · 240lm
incl. control unit · 90° tilting

- 472-20059200 
- 472-20059500 
- 472-20059600 

  IP 20

Wall mounted luminaires



By positioning these luminaires cleverly, they create an interesting play of light and shadow for the right atmosphere in every situation.

- 67 **Lloyd**
- 68 **Foro**
- 71 **Cut up**
- 72 **Waamp**
- 73 **Nowenda**
- 74 **Anio**
- 75 **Arok**
- 76 **Iwo**



An incredibly versatile design element. These luminaires literally decorate one's own four walls.

Arok W / p. 75



Lloyd

Back-lit and overlapping surfaces create excellent light effects. The product family for architecture lovers.

CE IP 20

Ceiling mounted luminaire


→ p. 55




Lloyd Square W

Material: Aluminium powder-coated
indirect beam

LED · 220-240V AC · 12W · 2700K · CRI>90 · 1100lm
incl. control unit

702-40003260 



Foro



Play of light.
The exciting
distribution of light
offers undreamt
possibilities and sets
interesting accents
in the room.


CE IP 20



Foro Short W



LED · 220-240V AC · 4W · 3000K · CRI>90 · 240lm
incl. control unit



341-40009440  S
341-40009550  WM



Foro Long W

LED · 220-240V AC · 10W · 3000K · CRI>90 · 1120lm
incl. control unit

341-40019440  S
341-40019550  WM



Cut up

Two different cuts with the same basic shape draw attention to the main features.




CE IP 20

Cut up 1 W

LED · 220-240V AC · 4W · 3000K · CRI>90 · 210lm
incl. control unit


738-40009220 **T**
738-40009550 **WM**
738-40009660 **BM**



Cut up 2 W

LED · 220-240V AC · 4W · 3000K · CRI>90 · 180lm
incl. control unit

738-40019220 **T**
738-40019550 **WM**
738-40019660 **BM**



Pendant

→ p. 46



Ceiling mounted luminaire

→ p. 58




Waamp

With its shield,
this charming
luminaire creates
an enchanting
atmosphere.




Sophisticated
and in a modern
style. Seek and
you shall find.


Nowenda



Waamp W



LED · 220-240V AC · 11W · 2700K · CRI>90 · 230lm
incl. control unit


- 472-40023220 
- 472-40023550 
- 472-40023630 



Nowenda W

LED · 220-240V AC · 6W · 2700K · CRI>90 · 360lm
incl. control unit

- 472-40019200 
- 472-40019500 



  IP 20



  IP 20

Table luminaire

→ p. 90




Anio

Anio W

LED · 220-240V AC · 2W · 3000K · CRI>90 · 170lm
incl. control unit

- 472-40039200 **T**
- 472-40039500 **WM**
- 472-40039600 **BM**



With a clear goal in sight. A light beam for special highlights.



Especially flexible and adaptable. The wall mounted luminaire for every direction.




Arok

Arok W

LED · 220-240V AC · 5W · 3000K · CRI>90 · 160lm
incl. control unit · incl. sensor

- 472-4000920s **T**
- 472-4000950s **WM**
- 472-4000960s **BM**



Iwo


Perfect luminosity.
Whether individually
or as a mixed double.

CE IP 20

Iwo 1 W

1 x E27 · 220-240V AC · max. 9W · LED Retrofit


727-40008650 B



Iwo 3 W

2x E27 · 220-240V AC · max. 9W · LED Retrofit


727-40028650 B



Iwo 2 W

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

727-40018650 B



Iwo 4 W

2x E27 · 220-240V AC · max. 9W · LED Retrofit

727-40038660 B




Table luminaires



One table is not like another. Whether in the office, on the nightstand, on a sideboard or in the living room, table luminaires are a popular source of light.

- 81 Pille
- 82 Yajo
- 85 Tycho
- 86 Gone
- 87 Meyjo
- 88 Scave
- 89 Teo
- 90 Pokula
- 91 Potta
- 92 Glow


Whether reading luminaire for booklovers or cosy television light for couch potatoes. Modern living is unthinkable without the appropriate light.

Meyjo T / p. 87



Pille

Trendy colour combinations turn the extravagant Pille made of mouth-blown glass into a strong stylistic element.



Pille T

mouth-blown glass · stone foot

LED · 220-240V AC · 15W · 3000K · CRI>90 · 1000lm
incl. control unit · ZigBee dimmable

	A	B
737-50009ghz	G	CH
737-50009phz	P	CH
737-500097hz	CH	CH
737-50009ggz	G	G
737-50009pgz	P	G
737-500097gz	CH	G

CE IP 20



Pendant

→ p. 20



Floor lamp

→ p. 97




Yajo

Did it dawn on you?
The fine lamellas look so natural. Its frosted opal glass gently lights up your room.

CE IP 20

Pendant

→ p. 31




Yajo 1 T

mouth-blown satined glass
switchable

LED · 220-240V AC · 18W · 3000K · CRI>80 · 1100lm

729-50009600




Yajo 2 T

mouth-blown satined glass
switchable

LED · 220-240V AC · 18W · 3000K · CRI>80 · 1100lm

729-50019600



Yajo 3 T

mouth-blown satined glass
switchable

LED · 220-240V AC · 18W · 3000K · CRI>80 · 1100lm

729-50029600



Tycho

Playfully elegant as pendant, Tycho makes an impression also on the top of a table. Its soft, scattered light creates a pleasant atmosphere.

CE IP 20

Pendant

→ p. 28




Tycho T

mouth-blown opal glass
Material: brushed brass

1 x E27 · 220-240V AC · max. 9W · LED Retrofit
incl. cable dimmable

318-50008mdk 




Gone

Gone S T

LED · 220-240V AC · 6W · 3000K · CRI>90 · 300lm
incl. control unit · incl. cable dimmable


738-5000920k **T**
738-5000960k **BM**



Gone M T

LED · 220-240V AC · 8W · 3000K · CRI>90 · 320lm
incl. control unit · incl. cable dimmable

738-5001920k **T**
738-5001960k **BM**



Design meets
function.
For a stylish frame.


Meyjo's asset is
its sleek and slim
design.



Meyjo T


LED · 220-240V AC · 6W · 3000K · CRI>90 · 350lm
beam angle 24° · incl. control unit · sensor dimmable

472-5001920s **T**
472-5001950s **MM**
472-5001960s **BM**



Floor lamp

→ p. 101



Scave

Spreads its light just by touching it easily.


Its remarkable fraction of light makes Teo a must-have for modern living.

Teo

Scave T

LED · 220-240V AC · 8W · 3000K · CRI>90 · 390lm
incl. control unit · incl. sensor dimmable

738-5002962s **BT**
738-5002965s **BT**




CE IP 20

Teo T

LED · 220-240V AC · 6W · 3000K · CRI>90 · 400lm
incl. 3-stage cable dimmable

101-500096ok **B**




CE IP 20

Pokula

With its cylinder-shaped shield, Pokula creates a soft lighting atmosphere.




A play of light similar to a lantern reminds magically of mild summer evenings.

Potta




Pokula T

LED · 220-240V AC · 13W · 2700K · CRI>90 · 300lm
incl. control unit · touch dimmable




- 472-5000322t 
- 472-5000355t 
- 472-5000363t 

  IP 20



Potta T

LED · 220-240V AC · 7W · 2700K · CRI>90 · 190lm
incl. control unit · 3 step touch dim

- 472-5002322t 
- 472-5002355t 
- 472-5002366t 

  IP 20




Wall mounted luminaire

→ p. 72




Glow

Additionally to the wonderful pendants, the Glow table luminaire completes the full range of the family.



Glow 1 T

switchable
1 x E27 · 220-240V AC · max. 9W · LED Retrofit
381-50008000 


  IP 20

Pendant

→ p. 27



Floor lamps



They stand by one's side at the right moment. As stylistic element as well as focused lightsource for different living areas.




- 97 **Pille**
- 98 **Decafelt**
- 101 **Meyjo**

The targeted lighting creates a cosy atmosphere. It lights up one's heart at first sight.

Meyjo F / p. 101

Pille

The sculptured floor lamp has a base of stone and its striking capsule form captures the spirit of modern times.



Pille F

mouth-blown glass · stone foot

LED · 220-240V AC · 15W · 3000K · CRI>90 · 1000lm
incl. control unit · ZigBee dimmable

	A	B
737-60009ghz	G	CH
737-60009phz	P	CH
737-600097hz	CS	CH
737-60009ggz	G	G
737-60009pgz	P	G
737-600097gz	CS	G

CE IP 20

Pendant

→ p. 20



Table luminaire


→ p. 81



Decafelt

Pleasant lighting atmosphere with calming effect. The acoustic elements create a cosy atmosphere.


CE IP 20



Decafelt M F

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2010lm
incl. control unit · ZigBee dimmable

730-600195cz LG
730-6001959z AG
730-600195bz BL



Decafelt L F

LED · 220-240V AC · 41W · 3000K · CRI>90 · 2010lm
incl. control unit · ZigBee dimmable

730-600295cz LG
730-6002959z AG
730-600295bz BL

Pendant

→ p. 34



Ceiling mounted luminaire

→ p. 56




Meyjo

Lean, however, it cannot be overlooked. The simple design characterises the Meyjo product range.

CE IP 20

Table luminaire

→ p. 87



Meyjo F

LED · 220-240V AC · 6W · 3000K · CRI>90 · 350lm
beam angle 24° · incl. control unit · sensor dimmable

472-6001920s **T**
472-6001950s **MM**
472-6001960s **BM**

Recessed luminaires



Mission undercover. They were made to be withdrawn without attracting attention and just to appear and to surprise at the right moment.



- 104 **Rowo**
- 105 **Sator**
- 106 **Liro**
- 107 **Kalio**

Whereas most components work undercover, the visible part draws attention to all important details.

Kalio Round R / p. 107



Rowo



Rowo R

LED driver separately order

LED · 220-240V AC · 10W · 2700K · CRI>90 · 600lm
beam angel 24°

305-30033500
305-30033600

LED · 220-240V AC · 10W · 2700K · CRI>90 · 600lm
beam angel 45°

305-30003500
305-30003600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 600lm
beam angel 24°

305-30039500
305-30039600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 600lm
beam angel 45°

305-30009500
305-30009600

LED driver Rowo R

not dimmable · 11W · 250mA · L: 147 · B: 44 · H: 22mm

24-127570

DALI dimmable · 12W · 250mA · L: 111 · B: 52 · H: 22mm

24-151403



Simple swivelling.
Rowo sets focused
accents.



Pleasant lighting
for many possible
applications.



Sator



Sator Round R

LED driver separately order

LED · 220-240V AC · 10W · 2700K · CRI>90 · 600lm
beam angel 24°

305-30013500
305-30013600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 600lm
beam angel 24°

305-30019500
305-30019600

Sator Square R

LED driver separately order

LED · 220-240V AC · 10W · 2700K · CRI>90 · 600lm
beam angel 24°

305-30023500
305-30023600

LED · 220-240V AC · 10W · 3000K · CRI>90 · 600lm
beam angel 24°

305-30029500
305-30029600

LED driver Sator R


not dimmable · 11W · 250mA · L: 147 · B: 44 · H: 22mm

24-127570

DALI dimmable · 12W · 250mA · L: 111 · B: 52 · H: 22mm

24-151403

Liro



1 - 20 mm

65 mm

62 x 62 mm

Liro R

LED driver separately order

LED · 220-240V AC · 6W · 2700K · CRI>90 · 620lm
beam angel 15°

472-30003560 **PM**
472-30003660 **B**

LED · 220-240V AC · 6W · 2700K · CRI>90 · 620lm
beam angel 34°

472-30013560 **PM**
472-30013660 **B**

LED · 220-240V AC · 6W · 3000K · CRI>90 · 620lm
beam angel 15°

472-30009560 **PM**
472-30009660 **B**

LED · 220-240V AC · 6W · 3000K · CRI>90 · 620lm
beam angel 34°

472-30019560 **PM**
472-30019660 **B**

LED driver Liro R

not dimmable · 23W · 500mA · L: 147 · B: 44 · H: 30mm

24-127532n **W**

DALI dimmable · 20W · 250mA · L: 111 · B: 52 · H: 22mm


24-151403 **W**

Ceiling mounted luminaire


→ p. 59



Makes perfectly happy. For the realisation of individual light concepts.



To set accents or cover whole areas. Kalio lights up for various applications.



1 - 20 mm

83 mm

Ø 86 mm

45°

Kalio Round R

LED driver separately order

LED · 220-240V AC · 8W · 2700K · CRI>90 · 880lm
beam angel 24°

308-30003500 **WM**
308-30003600 **BM**

LED · 220-240V AC · 8W · 2700K · CRI>90 · 880lm
beam angel 38°



308-30013500 **WM**
308-30013600 **BM**

LED · 220-240V AC · 8W · 3000K · CRI>90 · 880lm
beam angel 24°

308-30009500 **WM**
308-30009600 **BM**

LED · 220-240V AC · 8W · 3000K · CRI>90 · 880lm
beam angel 38°

308-30019500 **WM**
308-30019600 **BM**



1 - 20 mm

83 mm

Ø 86x86 mm

45°

Kalio Square R

LED driver separately order

LED · 220-240V AC · 8W · 2700K · CRI>90 · 880lm
beam angel 24°

308-30023500 **WM**
308-30023600 **BM**

LED · 220-240V AC · 8W · 2700K · CRI>90 · 880lm
beam angel 38°

308-30033500 **WM**
308-30033600 **BM**

LED · 220-240V AC · 8W · 3000K · CRI>90 · 880lm
beam angel 24°

308-30029500 **WS**
308-30029600 **BM**

LED · 220-240V AC · 8W · 3000K · CRI>90 · 880lm
beam angel 38°

308-30039500 **WS**
308-30039600 **BM**

LED driver Kalio R

not dimmable · 11W · 250mA · L: 147 · B: 44 · H: 30mm

24-127570 **W**

DALI dimmable · 12W · 250mA · L: 111 · B: 52 · H: 22mm

24-151403 **W**

CE IP 20

CE IP 20

Outdoor lighting



Let's get outside. Whether on mild summer evenings or in dark winter nights, outdoor lighting brightens up the surroundings.

- 110 [Pegato](#)
- 112 [Eyo](#)
- 113 [Booper W](#)
- 115 [Boho](#)
- 116 [Aliar](#)
- 117 [Booper F](#)
- 118 [Hoot](#)
- 120 [Chopa](#)
- 121 [Mash](#)


To make sure that everything is illuminated even in darkness, from the entrance to the terrace and to the balcony.

[Boho F / p. 115](#)



Pegato

A luminaire like a planet. Pegato creates a delightful play of light and shadow.




Pegato W

LED · 220-240V AC · 6W · 3000K · CRI>90 · 300lm
incl. control unit

- 472-90019200 **T**
- 472-90019500 **WM**
- 472-90019900 **AG**

CE IP 54



Eyo

Open your eyes,
here comes our
simple piece
of jewellery for
outside.


A round affair,
impressive as
individual luminaire
or arranged in a
group.

Booper


Eyo W

LED · 220-240V AC · 6W · 3000K · CRI>90 · 200lm
incl. control unit

472-90039600 **BM**
472-90039900 **AG**




CE IP 54



Booper W

LED · 220-240V AC · 4W · 3000K · CRI>90 · 110lm
incl. control unit

472-90069500 **WM**
472-90069900 **AG**



CE IP 65

Outdoor lighting

→ p. 117



Boho



Charming and more than just a luminaire. An eye catcher for relaxed summer evenings.

CE IP 54

Boho F

1 x E27 · 220-240V AC · max. 9W · LED Retrofit

401-90008600 **B**




Aliar

With its straight-lined and functional design, Aliar sheds light on external areas.

Sleek and always elegant from every perspective.

Booper




Aliar F

LED · 220-240V AC · 9W · 3000K · CRI>90 · 370lm
incl. control unit

472-90029600 **BM**
472-90029900 **AG**

CE IP 65



Booper F

LED · 220-240V AC · 7W · 3000K · CRI>90 · 110lm
incl. control unit


472-90079500 **WM**
472-90079900 **AG**

CE IP 54



Outdoor lighting


→ p. 113



Hoot

Soft light for orientation in architectural harmony.
Hoot has all it takes to become a real style icon.

CE IP 54



Hoot F

LED · 220-240V AC · 9W · 3000K · CRI>90 · 480lm
incl. control unit

472-90049600 **BM**
472-90049900 **AG**



Chopa

Our outdoor lighting with ground spike points the way.

The modern cube in black and white layers is always in season.


Mash

Chopa F

tilting head · height adjustable
cable length: 130cm

LED · 220-240V AC · 6W · 3000K · CRI>90 · 450lm
beam angle 38°


472-90059600 **BM**



Mash F

LED · 220-240V AC · 13W · 3000K · CRI>90 · 150lm
incl. control unit

472-90009200 **T**
472-90009900 **AG**
472-90009600 **BM**



CE IP 65



CE IP 65

Room for ideas

Presented in the proper light. Striking accents or harmonious lighting atmosphere for almost limitless possibilities.



Arkade Single PD / p. 16



Pokula T / p. 90



Decafelt PD / p. 34



Eyo W / p. 112



Scave T / p. 88



Yajo 1, 2 PD / p. 31



Leon PD / p. 39



Iwo 2 W / p. 76



Meyjo T / p. 87



Teo T / p. 89



Foro Long W / p. 68



Pille PD / p. 20



Gone T / p. 86



Lora Shade 5 / p. 40



Lora Shade 1 / p. 40



Peya PD / p. 38



Pille T / p. 81



Divo Long PD / p. 51

Whether the cosy living room, the communicative kitchen or a stylish restaurant which offers pleasant moments, every room has to meet other requirements.



Tycho T / p. 85

A

Aliar	116
Anio	74
Arkade	16 / 19
Arok	75
Atus	61

B

Bass	24
Boho	115
Booper	113 / 117

C

Camea	60
Canna	23
Chopa	120
Cut up	46 / 58 / 71

D

Decafelt	34 / 56 / 98
Diovis	32 / 33
Divo	51

E

Eyo	112
-----	-----

F

Fiori	22
Fiume	49
Foro	68

G

Glow	27 / 92
------	---------

Gone	86
------	----

H

Hoot	118
------	-----

I

Iris	25
------	----

Iwo	76 / 77
-----	---------

K

Kalio	107
-------	-----

L

Leo	37
-----	----

Leon	39
------	----

Liro	59 / 106
------	----------

Lloyd	55 / 67
-------	---------

Lora	40 / 41
------	---------

M

Mash	121
------	-----

Meyjo	87 / 101
-------	----------

N

Nowenda	73
---------	----

P

Pegato	110
--------	-----

Perfora	42
---------	----

Peya	38
------	----

Pille	20 / 81 / 97
-------	--------------

Pokula	90
--------	----

Potta	91
-------	----

R

Rowo	104
------	-----

S

Sator	105
-------	-----

Scave	88
-------	----

T

Teo	89
-----	----

Turn 4	63
--------	----

Tycho	28 / 85
-------	---------

U

Uto	45
-----	----

W

Waamp	72
-------	----

Y

Yajo	31 / 82
------	---------

Yira	50
------	----

Yura	62
------	----

Collected Edition.

Surface colours

W	white
WM	white matt
SW	satin white
B	black
BM	black matt
BW	black/white
BWM	black/white matt
BGM	black/gold matt
BT	black/terra
T	terra
G	grey
LG	lightgrey
AG	anthracite grey
SG	smoked grey
SS	satin smoked glass
S	silver
C	chrome
G	gold
RG	rose gold
CO	copper
OB	old brass
CH	champagne
P	pink
BL	blue

The content of this catalogue corresponds to the conditions during printing and is for information purposes only. Molto Luce reserves the right to modify the technical data of the products shown at any time and without prior notice. We do not assume any liability for colour deviations. Some of the products shown in the catalogue were retouched and serve to illustrate the possible applications.

Our general business terms and delivery conditions can be viewed under loum-light.com. Loum is a registered trademark of Molto Luce GmbH.

Concept and design

LOUM[®]

www.skialight.co.uk | sales@skialight.co.uk | T: 020 3514 4668

Illuminated by MOLTO LUCE[®]